


# PROGEAR

## Magic Balance Bike Owner's Manual





**Recommended Torque Values for Nuts and Bolts**

Head Tube Quick Release	Tension Force < 200N.M Stripping Force > 50N.M
Seat Post Quick Release	Tension Force < 200N.M Stripping Force > 50N.M
Wheel Set	Locking Tension for Front Wheel Nut: 15-20N.M
	Locking Tension for Rear Wheel Nut: 15-20N.M

1. Inspect the bike and all included parts to make sure there are no damaged or missing parts.



2. Assemble the wheels



3. Insert the handlebars into the handle bar stem. Adjust the handlebar height to so that it is suitable for the child. Take care not to exceed the maximum height indicator. Adjust, then lock the quick release.



4. Insert the seat post into the seat tube. Adjust the seat to a height suitable for the child. Take care not to exceed the maximum height indicator. Adjust, then lock the quick release.



5. Inspect the bike's functionality before use.



# WARRANTY

## AUSTRALIAN CONSUMER LAW

*Many of our products come with a guarantee or warranty from the manufacturer. In addition, they come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage.*

*You are entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Full details of your consumer rights may be found at [www.consumerlaw.gov.au](http://www.consumerlaw.gov.au)*

Please visit our website to view our full warranty terms and conditions:

<http://www.progearbikes.com.au/Warranty-Progear>

## **Warranty and Support:**

Please email us at [support@progearbikes.com.au](mailto:support@progearbikes.com.au) for all warranty or support issues.